

Introduction:



Banana is the oldest and commonest fruit known to the mankind. It is one of the important fruits, and constitutes second largest fruit industry in India. It is nutritious palatable and easily digestible fruit. It is available round the year because of its taste, nutritive and medicinal value. Banana is rich in carbohydrates, minerals such as calcium, potassium, Mg, Na and phosphorous. Other than fresh fruits, it can be consumed as processed in various forms like chips, powder, flakes, etc. Banana pseudostem is chopped

and used as cattle feed. Also, the leaves are used as plate. The botanical names of banana are Musa cavendish and Musa paradisiaca, which belongs to the family Musaceae. Banana is the second most important fruit crop of India next to mango. It is favorite fruit of all classes of people.

Variety: G9

Climate:

Being a tropical crop, banana requires warm, humid and rainy climate. The optimum temperature range is 10 to 400C and the relative humidity is 90% or above. It is highly susceptible to frost and cannot tolerate arid conditions. Strong desiccating winds cause considerable reduction in the growth of the plant and yield and quality of fruits.

➤ Soil:

Banana is a heavy feeder crop/. Therefore, fertility of soil is very important. Rich, well drained, fertile, free working, soils with plenty of organic matter is best suited for cultivation. The optimum range of pH of soil should be 6 to 8.

Propagation:

Commercial edible bananas do not produce viable seeds. So, the banana is commonly propagated by suckers and sword suckers with narrow leaves. Rhizomes whole or in bits from fruited and non-fruited plants with at least one sound bud can be successfully used as propagating material

Planting



at 2x2 m apart.

Planting of banana is done by two methods viz. Pit method and furrow method. Planting is done from February to May whereas in North India, it is done during July-August. In South-India, it can be done any time of year except summer. Tall varieties should be planted at 3x3 m whereas dwarf ones

Manuring:

Banana is a heavy feeder and responds well to manuring. Banana is a quick growing and short-lived plant. Therefore, it is more beneficial, if quick growing fertilizers are applied. In Tamil Nadu, application of 100 g of N, 30 g of P2O5 and 300 g of K2O per plant to be supplied in three doses during the second, third and fifth months is recommended. In Maharashtra, 100 g N, 40 g P2O5 and 100 g K2O per plant is recommended. Out of these, P2O5 and K2O is applied at the time of planting and N is given is three split doses: third, fourth and fifth month after planting.

Care after Planting:

- Desuckering: Desuckering is an important operation in banana cultivation. In this, the unwanted suckers, which develop near the base of the plant, are removed. Cutting the suckers from ground level and then pouring the kerosene (2-3 drops) to kill the growing point of pseudostem does it.
- **Propping:** It is an essential cultural practice to give proper support to the plants with bamboos. It is done to avoid falling down of plants due to high winds.
- Wrapping: to protect the fruits from sunburn, hot wind and dust the bunch is covered.
 Wrapping is also done to improve the colour of the fruit.

Species:

There are many varieties of banana in India like- Poovan; it is the most important commercial variety in Tamil Nadu, Andhra Pradesh and West Bengal. It is also known as Lal velchi in Maharashtra, Dwarf Cavendish or Basarai, Robusta or Harisal, Rasthali or Mutheli, Rajeli or Nendran, Sonakela, Safed Velchi.

Harvesting and Yield:

Harvesting of banana is done 12 to 15 months after planting in dwarf and 15 to 18 months after planting in tall varieties. Signs of maturity of banana fruits are, fruit becomes plumpy and angles are filled in completely, when tapped gives metallic sound, drying off of top leaves and change in colour of fruits from deep green to light green.



▶ Important disease of Banana:

Panama wilt: It is caused by the soil bourne fungi Fusarium oxysporum.

Symptoms: Leaves become yellow, Pseudostem splits and breaks.

Control Measures: Eradication of the infected plants. Growing resistant varieties like Dwarf Cavendish. Soil drenching with Vapam @ 0.85% and mercuric chloride @ 3000 PPM in nursery.

Bunchy Top: It is caused by the virus, which is transmitted by an aphid Pentalonianigroneruosa. Symptoms: Infected plants have short, narrow, erect leaves with short petiole. Plants remain slanted.

Control Measures: Infected plants should be uprooted and burnt. Spraying of 2-4, D to control weeds.

Root stock weevil:- Damaging stage is adult and grubSymptoms of damage:- Grub bores into stem which is affected by fungi or bacteria. Control measures: - Use healthy suckers and rhizomes. Before planting treat the pit with 0.65 %. Lindane 60-80 g/pit. Soak the sucker in 0.1% Lindane solution, spray 0.05 % endosulfan.

➤ Economic of One Acre Banana Cultivation:

Distance(in acre)	Sapling (in land)	Cost (per plant)	Total	Other Expenses (As Per Requirement)	Cost of cultivation
5X5 ft	1800	60 Rs.	1800*60 1,08,000/-	Fertilizers Land preparation Labor expenses etc.	1,08,000 /-

Total Cost of Cultivation: 1,08,000/-

> Income:

Income of year	From each plant	Total Production	Company buy-back	Total	Total income			
1 st Year	40 kg	1800X40 = 72000 kg	5 Rs. kg	72000*5= 3,60,000 /-	3,60,000 /-			
2 nd Year	40 kg	1800X40 = 72000 kg	5 Rs. kg	72000*5 = 3,60,000 /-	3,60,000 /-			
Total Income: 7,20,000/-								

> Technical Support & Services:

We also provide technical support for farming. Our Service Department with technically qualified staff provide after sales service and farmers advisory

services to our customers to get better plant establishment and faster growth of Herbal and Horticultural plantations.

We have largest network of employees who deliver Plants to customers at their door steps. Free technical services to customers on planting method, management practices and plant protection measures. Our teams of Agricultural Experts periodically visit and supervise the plantations and suggest necessary guidelines to get better growth and higher returns. Services:

- 1. This includes Supervision, consultancy, guidance, Transportation cost first year.
- 2. First production starts after 1st year and production will remain for next 1 year.
- 3. Buy back agreement of Banana.
- 4. The income expenditure indicated by the company is an approximated figure, as it also depends on the nature and hard work of the farmer.

Terms And Conditions:

- 1. For 1 Acre plantation the cost of Plants is Rs. 1,08,000/-, out of which 50% has to be paid before the cultivation and the remaining half after the planting is done.
- 2. The Buy Back Agreement Stamp paper of Rs.100/- has to be stamped by District Court of your area.
- 3. For 10 Acre or more yield the buy Back Agreement Stamp Paper will be of Rs.500/-.









("Look deep into nature, and then you will understand everything better")

For More Information Contact Us



MAATITATVA AGRO INDUSTRIES PVT. LTD.

GSTIN: -23AANCM8802G1ZFReg. no:-U01409MP2020PTC053148

ISO 9001-2015 CERTIFIED

Plot No: 622-623, Scheme no: -114 Part-2, Ring Road Bombay Hospital nearby Bharat petrol Pump, INDORE, MADHYA PRADESH (INDIA)

Booking No: -9926737937 Complain No:-0731-3555875 Service No: -9926707367 Helpline No: 9926737767

Contact Number: +91 9926737767, +91 9926737937, 0731-3555875

Email:maatitatvagro@gmail.com,

Website: www.maatitatvaagro.com/ www.maatitatvaagro.in

/maatitatvaagro

/maatitatvaagro

/maatitatvaagro

"MAATITATVA AGRO INDUSTRIES PVI.LTD OF COMPANIES" was established in the year 2019 in Indore - Madhya Pradesh (India). The company is growing at a rapid pace under the farsighted guidance of highly skilled professionals. Besides, we also deal in "Contract Farming". Our experience in cultivation, marketing of plants and seeds enable us to assist the farmers in the best possible manner. Consequently, we have earned recognition in the market. We Have deal in herbal powder, Dry Herbs, Herbal Product, spices ETC.

Thank you